


No. 6300

"CRYSTALLINE" Screwdriver



We have created a colorful grip with a crystalline sparkle. We offer an abundant lineup of shank sizes, including those capable of accessing deeply recessed or narrow areas.




No. 6300
"CRYSTALLINE"
Screwdriver

Uses cellulose acetate resin with good oil and chemical resistance. Uses raw materials such as wood and cotton (literal meaning of cellulose).

No.6300 "CRYSTALINE" Screwdriver PAT.


- Bright quartz "CRYSTALINE" handles. Color coding by ⊕⊖.
- Uses cellulose acetate resin.



No.6300								Inner Ctn.	Outer Ctn.	EDP No.
⊖ 4.5 × 50	4.5	0.6	50	5.0	22.0	138	12	240	121201	
⊖ 5.5 × 75	5.5	0.8	75	5.5	22.0	163	12	240	121202	
⊖ 6 × 100	6.0	0.9	100	6.0	26.5	205	12	240	121203	
⊖ 8 × 150	8.0	1.1	150	8.0	28.5	263	12	120	121205	
⊖ 9 × 200	9.0	1.2	200	9.0	28.5	313	6	60	121206	
⊖ 10 × 250	10.0	1.2	250	9.0	28.5	363	6	60	121207	
⊖ 10 × 300	10.0	1.2	300	9.0	28.5	413	6	60	121208	
⊕ 1 × 75	⊕No.1	75	5.0	22.0	163		12	240	121209	
⊕ 2 × 100	⊕No.2	100	6.0	26.5	205		12	240	121210	
⊕ 3 × 150	⊕No.3	150	8.0	28.5	263		12	120	121211	
⊕ 4 × 200	⊕No.4	200	9.0	28.5	313		6	60	121212	

No.6300E "CRYSTALINE" Screwdriver NEW PAT.

- Bright quartz "CRYSTALINE" handles. Color coding by ⊕⊖.
- Uses cellulose acetate resin.
- Large handle for even better operatability.



No.6300E								Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5 × 150	5.0	0.8	150	5.0	26.5	255	12	120	121254	
⊖ 5 × 200	5.0	0.8	200	5.0	26.5	305	12	120	121255	
⊖ 5 × 250	5.0	0.8	250	5.0	26.5	355	12	120	121256	
⊕ 1 × 150	⊕No.1	150	5.0	26.5	255		12	120	121257	
⊕ 1 × 200	⊕No.1	200	5.0	26.5	305		12	120	121258	
⊕ 1 × 250	⊕No.1	250	5.0	26.5	355		12	120	121259	


One point

The dia. **26.5** mm handle model newly available for overseas market!

More comfortable to hold and more convenient to tighten screws. Larger handle than our conventional 22mm model.

Conventional Model


No.6300



New Model

No.6300E

LONG & WIDE!



No.6300 "CRYSTALINE" Screwdriver (Long Shank Type) PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- Long shank for fastening in a hard-to-reach space.
- Uses cellulose acetate resin.



No.6300								Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5 × 150	5.0	0.8	150	5.0	22	238	12	120	121213	
⊖ 5 × 200	5.0	0.8	200	5.0	22	288	12	120	121214	
⊖ 5 × 250	5.0	0.8	250	5.0	22	338	12	120	121215	
⊕ 1 × 150	⊕No.1	150	5.0	22	238		12	120	121216	
⊕ 1 × 200	⊕No.1	200	5.0	22	288		12	120	121217	
⊕ 1 × 250	⊕No.1	250	5.0	22	338		12	120	121218	
⊕ 2 × 150	⊕No.2	150	6.0	26.5	255		12	120	121219	
⊕ 2 × 200	⊕No.2	200	6.0	26.5	305		12	120	121220	
⊕ 2 × 250	⊕No.2	250	6.0	26.5	355		12	120	121221	

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. 6100 "CRYSTALINE" Screwdriver (Thin Shank Type)

PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- Thin shank screwdriver. Ideal for working in cramped spaces.
- Uses cellulose acetate resin.



No.6100							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 4 × 50	4.0	0.45	50	4	16	124.5	12	240	121001
⊖ 4 × 75	4.0	0.45	75	4	16	149.5	12	240	121002
⊖ 4 × 100	4.0	0.45	100	4	16	174.5	12	240	121003
⊖ 4 × 150	4.0	0.45	150	4	16	224.5	12	120	121005
⊖ 4 × 200	4.0	0.45	200	4	16	274.5	12	120	121006
⊕ 0 × 75	⊕No.0	75	4	16	149.5		12	240	121323
⊕ 0 × 100	⊕No.0	100	4	16	174.5		12	240	121009
⊕ 0 × 150	⊕No.0	150	4	16	224.5		12	120	121325
⊕ 0 × 200	⊕No.0	200	4	16	274.5		12	120	121326
⊕ 1 × 75	⊕No.1	75	4	16	149.5		12	240	121008
⊕ 1 × 100	⊕No.1	100	4	16	174.5		12	240	121012
⊕ 1 × 150	⊕No.1	150	4	16	224.5		12	120	121013
⊕ 1 × 200	⊕No.1	200	4	16	274.5		12	120	121014
⊕ 2 × 200	⊕No.2	200	4	16	274.5		12	120	121015
⊕ 2 × 250	⊕No.2	250	4	16	324.5		12	120	121016

No. 6200 "CRYSTALINE" Screwdriver (Stubby Type)

PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- Ideal for working in cramped spaces.
- Uses cellulose acetate resin.



No.6200							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 38	6.0	0.9	38	6	30	87.5	12	240	121101
⊕ 1 × 38	⊕No.1	38	6	30	87.5		12	240	121102
⊕ 2 × 38	⊕No.2	38	6	30	87.5		12	240	121103

No. 6900 "CRYSTALINE" Screwdriver (Precision Type)

PAT.

- Bright quartz "CRYSTALINE" handle. Marked for ⊕⊖.
- For intense precision work.
- Handle butt is recessed to allow pressing with fingertips for fast turning.
- Uses cellulose acetate resin.



No.6900							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 2.5 × 50	2.5	0.35	50	3	14	101	24	240	121301
⊖ 2.5 × 75	2.5	0.35	75	3	14	126	24	240	121302
⊖ 2.5 × 100	2.5	0.35	100	3	14	151	24	240	121303
⊕ 00 × 50	⊕No.00	50	3	14	101		24	240	121327
⊕ 0 × 75	⊕No.0	75	3	14	126		24	240	121304

No. 6603 Long Square Shank Screwdriver PAT.

- 450mm-long square shank. Fully hardened tough special steel.
- Effective with high strength tightening.
- For fastening screws of sanitary appliances, etc.
- Uses cellulose acetate resin.



No.6603							Outer Ctn.	EDP No.	
⊖ 9 × 450	9.0	1.2	450	8	113	28.5	563	6	122231
⊕ 2 × 450	⊕No.2	450	6	113	28.5	563	6	122232	
⊕ 3 × 450	⊕No.3	450	8	113	28.5	563	6	122233	

One point

An Eco-friendly grip made from plant-based ingredients

Cellulose acetate resin, used in many plastic screwdrivers, is once again in the spotlight as an ecologically friendly plant-based polyester resin. Cellulose acetate resin is an outstanding material that is resistant to oil, chemicals, and shock.

As the word cellulose implies, the grip is made from wood pulp and cotton. This resin grip is ecologically friendly with a low environment load, and does not upset the CO2 balance when burned.



No. B-370 Non-Slip Tang-Thru Screwdriver


- Unique Non-Slip finish that prevents slipping even if oil adheres on the grip.
- Tang-thru type with a large nut. Good for heavy duty work.
- The end of the handle has a color ring facilitates to distinguish the tip difference at a glance.



No. B-370							Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5	0.8	75	5.5	27.4	183	6	60	267590
⊖ 6 × 100	6.0	0.9	100	6.4	30.7	226	6	60	267591
⊖ 8 × 150	8.0	1.1	150	8.0	36.2	290	6	60	267592
⊕ 1 × 75	⊕ No.1	75	5.5	27.4	183	6	60	267593	
⊕ 2 × 100	⊕ No.2	100	6.4	30.7	226	6	60	267594	
⊕ 3 × 150	⊕ No.3	150	8.0	36.2	290	6	60	267595	

No. 4100 Power Socket Screwdriver

- For fastening and loosening hexagon bolts and nuts.



No. 4100							Inner Ctn. (mm)	Outer Ctn.	EDP No.	
A/F 5 × 115	5	8	18	115	5.0	28.0	212	6	60	123501
A/F 5.5 × 115	5.5	9	18	115	5.0	28.0	212	6	60	123502
A/F 6 × 115	6	9	18	115	5.5	28.0	212	6	60	123503
A/F 7 × 125	7	10	18	125	5.5	28.0	222	6	60	123504
A/F 8 × 125	8	12	20	125	5.5	31.8	229	6	60	123505
A/F 9 × 125	9	12.7	20	125	6.3	31.8	229	6	60	123506
A/F 10 × 125	10	15	20	125	7.0	35.6	240	6	60	123507
A/F 11 × 125	11	15	20	125	7.0	35.6	240	6	60	123508
A/F 12 × 150	12	17	20	150	8.0	35.6	265	6	60	123509
A/F 13 × 150	13	19	20	150	8.0	35.6	265	6	60	123510

No. 4600 POZIDRIV Screwdriver

- High precision black point tip.
- Good for assembly of European and American furniture and skiing equipment.



No. 4600							Inner Ctn.	EDP No.
PZ1 × 75	PZ No.1	75	5	28	172	6	636011	
PZ2 × 100	PZ No.2	100	6	31	204	6	636012	
PZ3 × 150	PZ No.3	150	8	35	265	6	636013	

No. 5400TX Power Grip TORX Screwdriver

- Champagne gold plating keeping the precise tip quality.
- Cellulose acetate resin grip. Ergonomic design.
- For working with tamper-proof screws (T5 and T6 excluded).



→ See P48 One point

No. 5400TX							Inner Ctn. (mm)	Outer Ctn.	EDP No.
T 5 × 80	1.42	80	2.5	17.0	155	12	60	122854	
T 6 × 80	1.69	80	2.5	17.0	155	12	60	122855	
T 7H × 80	1.97	80	2.5	17.0	155	12	60	122856	
T 8H × 80	2.3	80	3.0	17.0	155	12	60	122857	
T 9H × 80	2.48	80	3.0	17.0	155	12	60	122858	
T10H × 80	2.72	80	3.0	17.0	155	12	60	122859	
T15H × 80	3.26	80	3.5	28.0	177	6	60	122860	
T20H × 120	3.84	120	4.0	28.0	217	6	60	122861	
T25H × 120	4.4	120	5.0	31.8	224	6	60	122862	
T27H × 120	4.96	120	5.0	31.8	224	6	60	122863	
T30H × 120	5.49	120	6.0	35.6	235	6	60	122864	
T40H × 120	6.6	120	7.0	35.6	235	6	60	122865	

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

No. 4500 Power Grip Screwdriver

- Plastic handle and tang-thru shank stand up to heavy-duty work.
- Hexagon bolster for strong tightening with a spanner or alike.
- Cellulose acetate resin grip. Ergonomic design.



No. 4500							Inner Ctn. (mm)	Outer Ctn.	EDP No.	
⊖ 5.5 × 75	5.5	0.8	75	5.8	28.0	172	8	6	240	123401
⊖ 6 × 100	6.0	0.9	100	6.4	31.8	204	10	6	120	123402
⊖ 8 × 150	8.0	1.1	150	8.0	35.6	265	12	6	120	123403
⊖ 9 × 200	9.0	1.2	200	9.0	37.0	320	12	6	60	123404
⊕ 1 × 75	⊕ No.1	75	5.8	28.0	172	8	6	240	123405	
⊕ 2 × 100	⊕ No.2	100	6.4	31.8	204	10	6	120	123406	
⊕ 3 × 150	⊕ No.3	150	8.0	35.6	265	12	6	120	123407	
⊕ 4 × 200	⊕ No.4	200	9.0	37.0	320	12	6	60	123408	

No. B-5400BP Power Grip UltraBall Screwdriver

- Champagne gold plating keeping the precise tip quality.
- Cellulose acetate resin grip. Ergonomic design.
- A knurled shank keeps hands from slipping in fast turning.



No. B-5400BP							Outer Ctn. (mm)	EDP No.
H 1.5 × 80	1.5	80	2.5	17.0	155	30	267565	
H 2 × 80	2	80	3.0	17.0	155	30	267566	
H 2.5 × 80	2.5	80	3.0	17.0	155	30	267567	
H 3 × 120	3	120	3.5	28.0	217	30	267568	
H 4 × 120	4	120	5.0	31.8	224	30	267569	
H 5 × 120	5	120	6.0	35.6	235	30	267570	
H 6 × 120	6	120	7.0	35.6	235	30	267571	

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS


AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. TD-250Y/ 220B/ 240G 3-Point Screwdriver

- 3 sizes in 1 compact handy tool.
- Y-handle fits in the palm of the hand. Delivers powerful fastening strength.




⊕ No. TD-250Y ⊖ No. TD-220B ⊖ No. TD-240G

Model No.	Set content	Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
TD-250Y	⊕1 / ⊕2 / ⊕3	120×95×18	10	251211	
TD-220B	H2 / H2.5 / H3	120×95×18	10	251221	
TD-240G	H4 / H5 / H6	120×95×18	10	251222	

No. TD-210 3-Point Cross Screwdriver

- 3 sizes in 1 compact handy tool.
- Y-handle fits in the palm of the hand. Delivers powerful fastening strength.



Set content	Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
⊕1 / ⊕2 / ⊕6	135×120×20	10	60	251210

No. TD-6310HX Hex Screwdriver Set


- Bit insertion part ● 6.35mm. Magnetized.
- Holds securely short bits. Reliable fastening as the bit does not drop easily.
- Grip made of environmental-friendly plant material.
- Provided with a bit belt for storage.



Set content		Package size (mm)	Outer Ctn.	EDP No.
Body	length 213mm dia. 28.5mm	235×100×29	10	247029
Bits	⊖4, ⊖6, ⊕4, ⊕4, ⊕4, H2.5, H3, H4, H5, H6×25.4mm			
Accessories	Bit belt holder			

No. TD-6310TX TORX Screwdriver Set

- Bit insertion part ● 6.35mm. Magnetized.
- Holds securely short bits. Reliable fastening as the bit does not drop easily.
- Grip made of environmental-friendly plant material.
- Provided with a bit belt for storage.




Set content		Package size (mm)	Outer Ctn.	EDP No.
Body	length 213mm dia. 28.5mm	235×100×29	10	247028
Bits	⊖6, ⊕2, T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H×25.4mm			
Accessories	Bit belt holder			

TORX® is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

No. TD-13-P2/ -S6 KOMADORA Stubby Screwdriver NEW

- Thinnest grip (27mm)
- Small center knob for quick tightening.
- Large grip (dia.42mm) for efficient torque transmission.



	Inner Ctn.	Outer Ctn.	EDP No.
No. TD13-P2 (⊕2×10)	10	42.0 27	10 120 251141
No. TD13-S6 (⊖6×10)	10	42.0 27	10 120 251142

No. TD-13W/ -13W5 KOMADORA Stubby Screwdriver NEW

- Thinnest grip (27mm)
- Small center knob for quick tightening.
- Large grip (dia.42mm) for efficient torque transmission.
- Single end 6.35 hex bit is compatible.



	Inner Ctn.	Outer Ctn.	EDP No.
No. TD13W (⊕2×10)	42.0	27 10 10	251143
No. TD13W5 (⊖6, ⊕1, ⊕2, ⊕3×10)	42.0	27 10 120	251144

No. TD-410 "FAMIDORA" Reversible Blade Screwdriver

- Ergonomic handle that fits in the palm of the hand.
- Fully hardened shank. Tough tip.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Handle	length 101.5mm dia. 29mm				
Driver blades	Φ2 / Φ6×150mm	185×75×31	10	60	251801

No. TD-2100 "Dual-Tone" Screwdriver Set

- Set of a handle and interchangeable blades, convenient for repair/ disassembly of electric goods, toys, and equipment instruments.
- Octagonal grip effectively transmitting fastening force; made of polypropylene, oil and chemical resistant.
- Blades have a thin non-electrolytic plating layer and fits screws.
- Magnetized tip catching screws. ●Provided with a handy bag.



Set content		Package size (mm)	Inner Ctn.	EDP No.
Handle	length 100mm dia. 30mm			
Driver blades	Φ1, Φ2, Φ4, Φ6×120mm	126×64×35	40	247030

No. TD-912N "FAMIDORA 12" Screwdriver 12-Piece Set

- Ergonomic handle that fits in the palm of the hand.
- Color-coded interchangeable driver blades.
- Provided with a screwdriver stand, which is convenient for storage.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Handle	length 100mm dia. 29.5mm				
Driver blades	Φ0, Φ1, Φ2, Φ2.5, Φ4, Φ6, Awl, Pin extractor×128mm	160×150×35	10	60	251800

One point

Features of the FAMIDORA series
Small handle / Big handle

Compact design useful as a standing set in households, offices, stores, etc.



Without big handle, the screwdriver can be used.

No. TD-800 "FAMIDORA 8" Screwdriver 8-Piece Set

- Ergonomic handle that fits in the palm of the hand.
- Color-coded interchangeable driver blades.
- Provided with a screwdriver stand, which is convenient for storage.



Set content		Package size (mm)	Inner Ctn.	Outer Ctn.	EDP No.
Handle	length 100mm dia. 29.5mm				
Driver blades	Φ0, Φ1, Φ2, Φ2.5, Φ4, Φ6, Awl, Pin extractor×128mm	160×150×35	10	60	251800




In a drawer



In a gap beside a cash register



For mounting hardware



For fastening a sign with screws

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS