

No. SST

SAKISUBO Torsion Bit



"PROKON" is a series of tools manufactured with a professional spirit for professionals. This solves various kinds of problems in construction, electric, and utility works. "PROKON" is all that craftspeople could ask!

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS



No. SST


SAKISUBO Torsion Bit

Highly durable tapered bit combined with torsion effect. Cushion effect at the constricted part prevents cam-out, improving work efficiency. Magnetized.

※ This is for illustrative purpose.

No. SST SAKISUBO Torsion Bit 2-Piece Set **PAT.**

- Highly durable tapered bit combined with torsion effect.
- Cushion effect at the constricted part prevents cam-out, improving working efficiency.



Model No.	Contents	Card size (mm)	EDP No.
SST141065	⊕1× ϕ 3.7× 65 2pcs.	160×35×8	485321
SST141110	⊕1× ϕ 3.7×110 2pcs.	160×35×8	485335
SST142065	⊕2× ϕ 4 × 65 2pcs.	160×35×8	485322
SST142082	⊕2× ϕ 4 × 82 2pcs.	160×35×8	485323
SST142110	⊕2× ϕ 4 ×110 2pcs.	160×35×8	485324
SST142150	⊕2× ϕ 4 ×150 2pcs.	210×35×8	485325
SST142200	⊕2× ϕ 4 ×200 2pcs.	260×35×8	485326

Inner Ctn.: 10 sets

No. SST5P SAKISUBO Torsion Bit 5-Piece Set **PAT.**



Model No.	Contents	Card size (mm)	EDP No.
SST5P2065	⊕2× ϕ 4 × 65 5pcs.	160×70×8	485444
SST5P2082	⊕2× ϕ 4 × 82 5pcs.	160×70×8	485445
SST5P2110	⊕2× ϕ 4 ×110 5pcs.	160×70×8	485446

Inner Ctn.: 10 sets

No. SS16 Recessed SAKISUBO Bit 2 Piece Set **PAT.**

- Thin shank type ideal for working in narrow places.
- Cushion effect at the constricted part prevents cam-out that may occur at the time of passing wood grains in the wooden work.



Model No.	Contents	Card size (mm)	EDP No.
SS161065	⊕1× ϕ 3 ×65 2pcs.	160×35×8	485336
SS161100	⊕1× ϕ 3 ×100 2pcs.	160×35×8	485327
SS162065	⊕2× ϕ 4.5×65 2pcs.	160×35×8	485337
SS162082	⊕2× ϕ 4.5×82 2pcs.	160×35×8	485338
SS162100	⊕2× ϕ 4.5×100 2pcs.	160×35×8	485328
SS162120	⊕2× ϕ 4.5×120 2pcs.	210×35×8	485339
SS162150	⊕2× ϕ 4.5×150 2pcs.	210×35×8	485340

Inner Ctn.: 10 sets

No. NMCS Recessed SAKISUBO Bit With Bit Magnetizer/Demagnetizer **PAT.**

- Magnetic screw catcher with two built-in neodymium magnets holds screws securely.
- Combined with recessed bit, ideal for continuous screw fastening in confined places and on the dry walls.



Model No.	Contents	Card size (mm)	EDP No.
NMCS16210	Recessed SAKISUBO Bit ⊕2× ϕ 4.5×100 1pc. Bit Magnetizer/Demagnetizer 1pc.	160×35×17	349958
NMCS16215	Recessed SAKISUBO Bit ⊕2× ϕ 4.5×150 1pc. Bit Magnetizer/Demagnetizer 1pc.	210×35×17	349965

Inner Ctn.: 10 sets

One point Strong magnet catches screws. Bit Magnetizer / Demagnetizer

Approx. **20** times stronger **0.318kgf**

Attaching the NMC-2P to a bit make its retaining strength about 20 times more than normal magnetized bits. The bit with the NMC-2P can assuredly catch even a long screw.



HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. SS16H Recessed "SAKISUBO" Hex Bit PAT.

- For hex hole bolts and screws.
- Long type useful for hard-to-reach places.



Model No.	Contents	Card size (mm)	EDP No.
SS16H2010	H2.0 × 100 1pc.	160×35×8	485329
SS16H2510	H2.5 × 100 1pc.	160×35×8	485330
SS16H3010	H3.0 × 100 1pc.	160×35×8	485331
SS16H4010	H4.0 × 100 1pc.	160×35×8	485332
SS16H5010	H5.0 × 100 1pc.	160×35×8	485333
SS16H6010	H6.0 × 100 1pc.	160×35×8	485334

Inner Ctn.: 10 sets

No. SS16T Recessed "SAKISUBO" TORX Bit PAT.

- Specialized for Torx screws.
- Manufactured under license by Torx, this bit is compatible with any Torx screws.



Model No.	Contents	Card size (mm)	EDP No.
SS16T1010	T10 × 100 1pc.	160×35×8	485347
SS16T1510	T15 × 100 1pc.	160×35×8	485348
SS16T2010	T20 × 100 1pc.	160×35×8	485349
SS16T2510	T25 × 100 1pc.	160×35×8	485350
SS16T3010	T30 × 100 1pc.	160×35×8	485351

Inner Ctn.: 10 sets

No. BW Recessed "SAKISUBO" Hex Bit 5-Piece Set PAT.



Model No.	Contents	Card size (mm)	EDP No.
BW-32	Recessed "SAKISUBO" Hex Bit A/F2.5, 3.0, 4.0, 5.0, 6.0 × 100 1 for each Bit Magnetizer/Demagnetizer 1pc.	160×70×23	486592

Inner Ctn.: 10 sets

No. BW Recessed "SAKISUBO" TORX Bit 5-Piece Set PAT.



Model No.	Contents	Card size (mm)	EDP No.
BW-33	Recessed "SAKISUBO" TORX Bit T10, 15, 20, 25, 30 × 100 1 for each Bit Magnetizer/Demagnetizer 1pc.	160×70×23	486593

Inner Ctn.: 10 sets

TORX is a registered trademark of Acument TM Intellectual Properties, LLC (USA). VESSEL has a manufacturing license in Japan and selling same to the world.

No. SS16BP Recessed "SAKISUBO" Ball Point Bit PAT.

- For hex hole bolt and screw.
- Ball point tip with an inclination angle of 30°. Suited for working in cramped places of high-density packaging.



Model No.	Contents	Card size (mm)	EDP No.
SS16BP2010	H2.0 × 100 1pc.	160×35×8	485341
SS16BP2510	H2.5 × 100 1pc.	160×35×8	485342
SS16BP3010	H3.0 × 100 1pc.	160×35×8	485343
SS16BP4010	H4.0 × 100 1pc.	160×35×8	485344
SS16BP5010	H5.0 × 100 1pc.	160×35×8	485345
SS16BP6010	H6.0 × 100 1pc.	160×35×8	485346

Inner Ctn.: 10 sets

No. NMC-2P Bit Magnetizer/Demagnetizer NEW

- Magnetic screw catcher with two built-in neodymium magnets holds screws securely.
- Combined with bit, ideal for continuous screw fastening in cramped places and on the dry walls.



Model No.	Contents	Card size (mm)	EDP No.
NMC-2P	Bit Magnetizer/Demagnetizer 2pcs.	120×44×17	486575

Inner Ctn.: 10 sets

No. S14 Double End "SAKISUBO" Bit 2-Piece Set NEW

- The constricted part acts as a cushion, absorbing the shock from power impact tools, and improves durability.
- Optimal for fastening joists, staircase construction, concrete panels, sash attachment and interior fixtures.



Model No.	Contents	Card size (mm)	EDP No.
S142065	⌀2× 65 2pcs.	160×35×8	485447
S142082	⌀2× 82 2pcs.	160×35×8	485448
S142110	⌀2×110 2pcs.	160×35×8	485449
S142150	⌀2×150 2pcs.	210×35×8	485450

Inner Ctn.: 10 sets

No. S5P Double End "SAKISUBO" Bit 5-Piece Set

- Tapered tip prevents cam-out.
- Excellent durability.



Model No.	Contents	Package size (mm)	EDP No.
S5P2065F	⌀2× 65 5pcs.	135×50×7	485435
S5P2110F	⌀2×110 5pcs.	160×50×7	485436

Inner Ctn.: 10 sets

No. NMCS3P "SAKISUBO" Bit with Bit Magnetizer/Demagnetizer (packed in a plastic bag) 3-Piece Set NEW

- A set of SAKISUBO bits with convenient NMC-2P Bit Magnetizer/Demagnetizer.
- More affordable by omitting printing mark from the bit.
- Both 3-piece and 8-piece sets come with 1 × NMC-2P Bit Magnetizer/Demagnetizer.



Model No.	Contents	Package size (mm)	EDP No.
NMCS3P2065F	SAKISUBO Bit ⌀2× 65 3pcs. Bit Magnetizer/Demagnetizer 1pc.	130×50×16	485359
NMCS3P2082F	SAKISUBO Bit ⌀2× 82 3pcs. Bit Magnetizer/Demagnetizer 1pc.	130×50×16	485360
NMCS3P2110F	SAKISUBO Bit ⌀2×110 3pcs. Bit Magnetizer/Demagnetizer 1pc.	160×50×16	485361

Inner Ctn.: 10 sets

No. NMCS8P "SAKISUBO" Bit with Bit Magnetizer/Demagnetizer (packed in a plastic bag) 8-Piece Set NEW

Model No.	Contents	Package size (mm)	EDP No.
NMCS8P2065F	SAKISUBO Bit ⌀2× 65 8pcs. Bit Magnetizer/Demagnetizer 1pc.	143×87×16	485362
NMCS8P2082F	SAKISUBO Bit ⌀2× 82 8pcs. Bit Magnetizer/Demagnetizer 1pc.	143×87×16	485363
NMCS8P2110F	SAKISUBO Bit ⌀2×110 8pcs. Bit Magnetizer/Demagnetizer 1pc.	162×87×16	485364

Inner Ctn.: 10 sets

No. M-S14 "SAKISUBO" Bit (packed in a plastic bag) 10-Piece Set NEW



- For soft joint applications such as fastening elastic items (coarse threads, wood screw, resin tap etc). Can be used with general standard screws.
- Suppresses backlash of bits on a wood grain and secure a smooth fastening.

Model No.	Contents	Heat treatment classification	Package size (mm)	EDP No.
M-S14	⌀2×110H	H	86×133×8	415441
M-S14	⌀2× 65H	H	86×162×8	415442
M-S14	⌀2× 82H	H	86×162×8	415443
M-S14	⌀2×110H	H	86×162×8	415444
M-S14	⌀2×150H	H	86×202×8	415444

Outer Ctn.: 10 sets

No. M-S14H "SAKISUBO" Bit (packed in a plastic bag) 10-Piece Set NEW




- For hard joint applications such as tapping or self-tapping screws. Optimal for low head screws such as thin washers or screws whose head hole accuracy is not good.
- Thick tip improves durability. Fits pan head screws like tapping or drill screws.
- Black finish appealing to professionals. Rust-resistant.

Model No.	Contents	Heat treatment classification	Package size (mm)	EDP No.
M-S14H	⌀2× 65H	H	86×133×8	415445
M-S14H	⌀2× 82H	H	86×162×8	415446
M-S14H	⌀2×110H	H	86×162×8	415447
M-S14H	⌀2×150H	H	86×202×8	415448

Outer Ctn.: 10 sets

No. SDT "SAKISUBO" Slender Torsion Bit 2-Piece Set NEW

- Tapered tip allows for easy view of screw head and improves working efficiency.
- High hardness and ductile new material developed. Shock resistant in spite of the tapered tip. Can be used with a drilling screw.
- Torsion part absorbs a big impact of the impact driver. Remarkably improved durability.
- Tapered tip absorbs a low impact when the screw is seated. Stable fastening quality.



Model No.	Contents	Card size (mm)	EDP No.
SDT141065	⌀1× 65 2pcs.	160×35×8	485403
SDT141110	⌀1×110 2pcs.	160×35×8	485404
SDT142065	⌀2× 65 2pcs.	160×35×8	485395
SDT142082	⌀2× 82 2pcs.	160×35×8	485396
SDT142110	⌀2×110 2pcs.	160×35×8	485397
SDT142150	⌀2×150 2pcs.	210×35×8	485405

Inner Ctn.: 10 sets

No. SDT5P "SAKISUBO" Slender Torsion Bit 5-Piece Set

Model No.	Contents	Card size (mm)	EDP No.
SDT5P2065	⌀2× 65 5pcs.	160×70×8	485398
SDT5P2082	⌀2× 82 5pcs.	160×70×8	485399
SDT5P2110	⌀2×110 5pcs.	160×70×8	485400

Inner Ctn.: 10 sets

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS


AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. PS "Plus-Minus" Bit for Terminal Screws

- For Phillips /slotted screws.
- With a tube preventing short circuit.



Model No.	Contents	Card size (mm)	EDP No.
PS161110	PS1×φ4 ×φ4.5×110 1pc.	160×35×8	485411
PS162110	PS2×φ5.5×φ6 ×110 1pc.	160×35×8	485412
PS162150	PS2×φ5.5×φ6 ×150 1pc.	210×35×8	485413

Inner Ctn.: 10 sets

No. KDB "KADOGIWA" Corner Bit for Brace

- For fastening seismic hardware.
- Can be tilted up to 6° at the tip section. Ideal for working at corners.
- For fastening hall-down hardware and brace hardware.




Model No.	Contents	Card size (mm)	EDP No.
KDB-SQ3	SQ 3×100 1pc.	160×50×13	485421

Inner Ctn.: 10 sets

No. KDB Replacement Corner Bit

- Exclusively for the KDB-SQ3.




Model No.	Contents	Card size (mm)	EDP No.
KDB-SQ3K	SQ 3× 35 1pc.	135×35×8	485422

Inner Ctn.: 10 sets

No. A20ZB "BARITORI" Full Tread Burring Bit

- Burrs of thread studs (made of iron) can be removed by electrical impact tools.
- Optimal for edge surface finish of hanging bolts and anchor bolts.




Model No.	Contents	Card size (mm)	EDP No.
A20ZB55	Full Tread(iron)M8, 3/8, M10, M12	160×35×20	485431

Inner Ctn.: 5 sets

One point

PROKON series



"Plus-Minus" Bit for Terminal Screws

For Phillips/slotted screws that are widely used. For fastening terminal screws on distribution board, fitting hardware to hold electric wire, plumbing, and air conditioner installation.




"KADOGIWA" Corner Bit for Bracing

Can be tilted up to 6° at the tip section. Can fasten screws easily in narrow places like corners using impact driver. For fastening hold down hardware, brace hardware and various seismic hardware.



"BARITORI" Full Tread Burring Bit

Easy to use with impact driver. Excellent durability. Must for fitting hanging bolts and installing air conditioning equipment. Ideal for treating edge face of anchor bolt.




Double End "SAKISUBO" Bit

Improved durability with cushion effect at constricted part. For working with joist, stairs, composite panels, sash frame, interior finishing, etc.

No. PZ Double End Combi Bit 2-Piece Set

●PZ2 and PZ3 are combined into one bit.




Model No.	Contents	Card size (mm)	EDP No.
PZ142365	PZ2/ PZ3×65 2pcs.	160×35×8	485401
PZ142311	PZ2/ PZ3×110 2pcs.	160×35×8	485402

Inner Ctn.: 10 sets

No. 270BW-123 Combi Plus Stubby Screwdriver

●Stubby type suited for working in cramped places.

●Three sizes are combined into one bit. Can be used for most of Phillips screws commonly used.




Model No.	Contents	Card size (mm)	EDP No.
270BW-123	●Bit Interchangeable Cushion Suttby Grip ●Bit ⊕1 · ⊕3 / ⊕2×45mm	160×55×37	233076

Inner Ctn.: 10 sets

No. PQ Double End Combi Bit 2-Piece Set

●SQ3 and ⊕2 are combined into one bit.

●Tapered tip of ⊕2 prevents cam-out. Long life.



Model No.	Contents	Card size (mm)	EDP No.
PQ142365	⊕2 / SQ3× 65 2pcs.	160×35× 8	485406
PQ142311	⊕2 / SQ3×110 2pcs.	160×35× 8	485407
PQ1423155	⊕2 / SQ3×150 1pc.	190×35×17	485408

Inner Ctn.: 10 sets

No. 220W-62 Ball-Grip Interchangeable Screwdriver

●Slotted tip used for quick connection terminal such as outlet and frequently-used ⊕2 are combined into one bit.



Model No.	Contents	Card size (mm)	EDP No.
220W-62	●Bit Interchangeable Ball-Grip ●Bit ⊖6 / ⊕2×110mm	160×70×43	233071

Inner Ctn.: 10 sets

No. 220W-123 Combi Plus Screwdriver

●Three sizes are combined into one bit. Can be used for most of Phillips screws commonly used.




Model No.	Contents	Card size (mm)	EDP No.
220W-123	●Bit Interchangeable Ball-Grip ●Bit ⊕1 · ⊕3 / ⊕2×110mm	160×70×43	233073

Inner Ctn.: 10 sets

No. 270BW-62 Cushion Stubby Interchangeable Screwdriver

●Stubby type suited for working in cramped places.

●Slotted tip used for quick connection terminal such as outlet and frequently-used ⊕2 are combined into one bit.



Model No.	Contents	Card size (mm)	EDP No.
270BW-62	●Bit Interchangeable Cushion Suttby Grip ●Bit ⊖6 / ⊕2×110mm	160×70×43	233075

Inner Ctn.: 10 sets

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. 220W-3 Ball-Grip Interchangeable Screwdriver Set

- Convenient set with $\oplus 1$, $\oplus 3$, slotted tip used for quick connection terminal such as outlet, frequently-used $\oplus 2$, and Pozidrive Pz2 and Pz3 widely used for imported furniture assembly and snowboard bindings.




Model No.	Contents	Card size (mm)	EDP No.
220W-3	● Bit Interchangeable Ball-Grip ● Bit $\oplus 1$ / $\oplus 3$, $\ominus 6$ / $\oplus 2$, PZ2 / PZ3 $\times 110$ mm	153 \times 93 \times 41	233072

Inner Ctn.: 10 sets

No. PD Dedicated replacement Shank Combi Bit

- Slotted tip used for quick connection terminal such as outlet and frequently-used $\oplus 2$ are combined into one bit.




Model No.	Contents	Card size (mm)	EDP No.
PD142645	$\ominus 6$ / $\oplus 2$ $\times 45$ mm 1pc.	135 \times 35 \times 8	485416
PD142611	$\ominus 6$ / $\oplus 2$ $\times 110$ mm 1pc.	160 \times 35 \times 8	485414

Inner Ctn.: 10 sets

No. PD Dedicated replacement Shank Combi Plus Bit

- Three sizes are combined into one bit.



Model No.	Contents	Card size (mm)	EDP No.
PD1412345	$\oplus 1 \cdot \oplus 3$ / $\oplus 2$ $\times 45$ mm 1pc.	135 \times 35 \times 8	485415
PD1412311	$\oplus 1 \cdot \oplus 3$ / $\oplus 2$ $\times 110$ mm 1pc.	160 \times 35 \times 8	485417

Inner Ctn.: 10 sets

PD1412311 / PD142611 Application Models 220W / 220W-3 / 220W-62 / 220W-123
 PD1412345 / PD142645 Application Models 270BW / 270BW-62 / 270BW-123

No. 220W Bit Interchangeable Ball-Grip

- Can be used as a normal ball-grip driver by inserting a bit for electric driver (6.35 mm hex bit).
- Black grip gives a robust impression.



Model No.	Contents	Card size (mm)	EDP No.
220W	Bit Interchangeable Ball-Grip	145 \times 50 \times 43	125344

Inner Ctn.: 10 sets

No. 270BW Bit Interchangeable Cushion Subtby Grip

- Stubby type suited for working in confined places. Can be used with bits for electric driver (6.35 mm hex bit).
- Black grip gives a robust impression.




Model No.	Contents	Card size (mm)	EDP No.
270BW	Bit Interchangeable Cushion Subtby Grip	100 \times 50 \times 37	233074

Inner Ctn.: 10 sets

One point

Combi PLUS

One bit for 3-size tip-end!
 One side is dedicated to frequently-used $\oplus 2$ and another for both $\oplus 1$ and $\oplus 3$.




No. 230W-2

Ball Grip (Bit-replaceable Tang-Thru Screwdriver) NEW



- Blade interchangeable tang-thru grip.
- 25mm large nut incorporated transmitting well the hammering power.
- Blades can be used with electric screwdrivers.



Model No.	Set Contents	Card size (mm)	EDP No.
230W-2	● Ball Grip (Bit-replaceable Tang-Thru grip) ● Bit $\oplus 2 \times 140\text{mm}$ 1 for each	160×70×43	125327


Inner Ctn: 10 sets

No. 230W-3

Ball Grip (Bit-replaceable Tang-Thru Screwdriver) NEW



- Blade interchangeable tang-thru grip.
- 25mm large nut incorporated transmitting well the hammering power.
- Blades can be used with electric screwdrivers.



Model No.	Set Contents	Card size (mm)	EDP No.
230W-3	● Ball Grip (Bit-replaceable Tang-Thru grip) ● Bit $\oplus 3 \times 140\text{mm}$ 1 for each	160×70×43	125328


Inner Ctn: 10 sets

No. 230W-6

Ball Grip (Bit-replaceable Tang-Thru Screwdriver) NEW



- Blade interchangeable tang-thru grip.
- 25mm large nut incorporated transmitting well the hammering power.
- Blades can be used with electric screwdrivers.



Model No.	Set Contents	Card size (mm)	EDP No.
230W-6	● Ball Grip (Bit-replaceable Tang-Thru grip) ● Bit $\ominus 6 \times 140\text{mm}$ 1 for each	160×70×43	125329

Inner Ctn: 10 sets

No. 230W

Ball Grip (Bit-replaceable Tang-Thru grip) NEW



- Blade interchangeable tang-thru grip. (A/F6.35mm)
- 25mm large nut incorporated transmitting well the hammering power.



Model No.	Grip size	Package size (mm)	Inner Ctn.	EDP No.
230W	length 100mm, dia.41mm	145×50×43	10	125326

No. PD162140 / PD163140 / PD166140

Replacement bit NEW

- Interchangeable blade for the 230W (ball grip tang-thru grip). A/F6.35mm.
- Blades can be used with electric screwdrivers.



PD162140 PD163140 PD166140

Model No.	Contents	Card size (mm)	EDP No.
PD162140	$\oplus 2 \times 140\text{mm}$ 1pc	175×35×8	485418
PD163140	$\oplus 3 \times 140\text{mm}$ 1pc	175×35×8	485419
PD166140	$\ominus 6 \times 140\text{mm}$ 1pc	175×35×8	485420

Inner Ctn: 5 sets

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS