

No. 980

# MEGADORA IMPACTA




Our proprietary Tang-thru nut incorporates cam rotation mechanism, which turns the driving tip counter-clockwise by 12 degrees when the handle is hit with a hammer.

IMPACTA leverages impact acceleration to remove stuck screws.



Adhered screw   Rusted screw   Stuck screw



**No. 980**

## MEGADORA IMPACTA

Equipped with a flat-surface grip and cushions on the corners of the hexagonal cross section.


The inner core is a triple-layered construction using recycled resin, designed with practical use of resources.

※The above illustration is for reference only.

**No. 980 MEGADORA IMPACTA**

**PAT.**

- Tang-Thru nut with cam rotation mechanism.
- High precision black point tip.



No.980	Tip	Inner Ctn.	Outer Ctn.	EDP No.
⊕ 2 × 100	⊕No.2 100 6.4 34 213	6	60	125941
⊕ 2 × 150	⊕No.2 150 6.4 34 263	6	60	125942
⊕ 3 × 150	⊕No.3 150 8.0 36 278	6	60	125943

**No. 900 MEGADORA Standard Screwdriver Extra Long Type**

**PAT.**

- Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- Good for a work deep in a space. Useful for adjustment of automotive headlight and removal of a hose band.
- Junk (turning) grip minimizes shaking because of the long shank, to ensure stable tightening.



No.900	Tip	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 400	6.0 0.9 400 6.4 34 510	6	60	125709
⊕ 2 × 400	⊕No.2 400 6.4 34 510	6	60	125710

**No. 900 MEGADORA Standard Screwdriver**

**PAT.**


- NEW Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- A knurled shank is useful for fast and slipless turning by fingers and open wide holes on a wood material or a board.



No.900	Tip	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5 0.8 75 5.5 30 175	6	60	125701
⊖ 6 × 100	6.0 0.9 100 6.4 34 210	6	60	125702
⊖ 6 × 150	6.0 0.9 150 6.4 34 260	6	60	125703
⊖ 8 × 150	8.0 1.1 150 8.0 36 275	6	60	125704
⊕ 1 × 75	⊕No.1 75 5.5 30 175	6	60	125705
⊕ 2 × 100	⊕No.2 100 6.4 34 210	6	60	125706
⊕ 2 × 150	⊕No.2 150 6.4 34 260	6	60	125707
⊕ 3 × 150	⊕No.3 150 8.0 36 275	6	60	125708

**No. 920 MEGADORA Stubby Screwdriver**

- Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- 25mm-long shank. Ideal for working in cramped places.



No.920	Tip	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 6 × 25	6.4 0.9 25 6.4 36 75	6	60	125752
⊕ 1 × 25	⊕No.1 25 6.4 36 75	6	60	125753
⊕ 2 × 25	⊕No.2 25 6.4 36 75	6	60	125754

**No. 910 MEGADORA Thin Shank Screwdriver**

- Precision type with 4 mm or smaller diameter shank.
- Black point tip, unaffected by the plating thickness.



No.910	Tip	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 3 × 75	3.0 0.4 75 3.0 21 153	12	120	125746
⊖ 3 × 100	3.0 0.4 100 3.0 21 178	12	120	125747
⊖ 4 × 75	4.0 0.5 75 4.0 21 153	12	120	125748
⊖ 4 × 100	4.0 0.5 100 4.0 21 178	12	120	125749
⊖ 4 × 150	4.0 0.5 150 4.0 21 228	12	120	125750
⊖ 4 × 200	4.0 0.5 200 4.0 21 278	12	120	125751
⊕ 0 × 75	⊕No.0 75 3.0 21 153	12	120	125742
⊕ 0 × 100	⊕No.0 100 3.0 21 178	12	120	125743
⊕ 1 × 75	⊕No.1 75 4.0 21 153	12	120	125744
⊕ 1 × 100	⊕No.1 100 4.0 21 178	12	120	125745

**No. 930 MEGADORA Tang-Thru Screwdriver**

**PAT.**

- NEW Philips JAWSFIT tip that firmly grips the screw. **JAWSFIT**
- Tang-Thru shank with large end cap.
- With a hexagonal bolster for spanner.



No.930	Tip	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 5.5 × 75	5.5 0.8 75 5.5 30 175 8	6	60	125711
⊖ 6 × 38	6.0 0.9 38 6.4 34 151 —	6	60	125719
⊖ 6 × 100	6.0 0.9 100 6.4 34 213 10	6	60	125712
⊖ 6 × 150	6.0 0.9 150 6.4 34 263 10	6	60	125713
⊖ 8 × 150	8.0 1.1 150 8.0 36 278 12	6	60	125714
⊕ 1 × 75	⊕No.1 75 5.5 30 176 8	6	60	125715
⊕ 2 × 100	⊕No.2 100 6.4 34 213 10	6	60	125716
⊕ 2 × 150	⊕No.2 150 6.4 34 263 10	6	60	125717
⊕ 3 × 150	⊕No.3 150 8.0 36 278 12	6	60	125718

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

### No. 970 MEGADORA Clip Remover **PAT.**

- One model for both large and small tips. Suited for many clips used with automobiles.
- Chrome plating, not causing scratches on a painted metal plate.
- Optimally angled for working in cramped spaces, such as, door trim, wire binding clip, and so on.

**Cr-V Steel**



No.970	12/7	120	7.0	34	230	Inner Ctn. (mm)	Outer Ctn.	EDP No.
CR × 120						6	60	125721

### No. 970 MEGADORA Chisel-Type Screwdriver **PAT.**

- Special steel for high quality cold chisel used. Hardness: 58HRC. Abrasion resistant and sharp edge.
- Elastomer-resin made grip absorbs shock when using and alleviate the fatigue on the hand.
- Tang-Thru shank with large end cap.

**Cr-V Mo Steel**



No.970	7.0	1.5	100	6	34	213	Inner Ctn. (mm)	Outer Ctn.	EDP No.
7 × 100							6	60	125722
9.5 × 120	9.5	1.7	120	8	36	248	6	60	125732

## One point

Pull out / Break



MEGADORA Clip Remover



Removing it by leverage

One model compatible with 2 popular types of clip in the automobile industry.

High-grade chisel used.




Sharp edge and anti-abrasion quality. Good for removal of welding on a spot, of burrs, and for various work with tiles and bricks.



MEGADORA Chisel-Type Screwdriver

### No. S-903 MEGADORA Pozidriv Screwdriver




- Dedicated to Pozidriv screws.
- VESSEL is an official licensee of Pozidriv.
- A knurled shank is useful for fast turning.

No.S-903						Inner Ctn.	EDP No.
PZ1× 75	PZ No.1	75	5.5	30	175	6	267254
PZ2× 100	PZ No.2	100	6.4	34	210	6	267255
PZ3× 150	PZ No.3	150	8.0	36	275	6	267256



**No. 960 MEGADORA Insulated Screwdriver NEW**

- Insulated Screwdrivers Series certified by VDE (IEC60900), International certification authority.
- Safe and secured double insulation layer.
- Highly precise tip-end (black oxide finish).
- Chrome-vanadium steel, fully hardened. ● Flat Surface Grip.



No.960	Inner Ctn.	Outer Ctn.	EDP No.
⊖ 0.8 x 5 x 75	5.0	0.8	75
⊖ 1.0 x 6 x 100	6.0	1.0	100
⊖ 1.2 x 8 x 150	8.0	1.2	150
⊕ 1 x 75	7.5	6.8	30
⊕ 2 x 100	10.0	7.8	34
⊕ 3 x 150	15.0	9.8	36

# One point

For protection against electric shock

Insulated Screwdrivers Series certified by VDE, International certification authority.

1000V AC or less, 1500V DC or less



VDE is an authorized third-party certification organization.



Safe and secured double insulation layer

Reliable - 100% Energization (Dielectric) Inspection Conducted!



For prevention of electric shock, short-circuit during electric works for power equipment, and so on.



**⚠ WARNING!**

- STOP IMMEDIATELY using this screwdriver when the yellow shank cover comes out or there is a damage or alike on the product.
- NEVER USE FOR HOT-LINE JOB. RISQUE OF ELECTRICAL SHOCK.

**No. 960PS MEGADORA Insulated Screwdriver NEW**

- Insulated Screwdrivers Series certified by VDE (IEC60900), International certification authority.
- Safe and secured double insulation layer.
- Highly precise tip-end (black oxide finish).
- Chrome-vanadium steel, fully hardened. ● Flat Surface Grip.



No.960PS	Inner Ctn.	Outer Ctn.	EDP No.
PS2 x 100	PS2	100	7.8
PS3 x 150	PS3	150	9.8

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS