

No. GS

"GOSAI" Bits




"Extra Superalloy" is VESSEL's new and unique steel material for bits. This is very durable and ductile, determining reputation of VESSEL bits. Resistant to twist and breaking.

Extra Superalloy*


*Adopted to the items and sizes optimizing the material characteristics.

- The max hardness is HRC62. Resistant to breaking and twisting, and also transmitting the torque properly and assuredly, for reliable screw tightening.

Comparison test with twisting tester




Screw Tightening Test



- Precise tip-end machining. High quality fitting. As the tip-end is not plated or painted, the cross shaped tip-end can fit various screws.

Tip-end 3D comparison (+0)



※The illustrations are for reference only.

No. GS14

Double End "GOSAI" bits

- Different colors applied to each size.
- Endurable and ductile.



HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS


AIR TOOLS

STATIC SOLUTIONS


GASOLINE ENGINE TOOLS

No. GS14 Double End "GOSAI" bits **NEW**

- Different colors applied to each size.
- Endurable and ductile.



GS14 1035 GS14 1065 GS14 1110 GS14 2035 GS14 2045 GS14 2065 GS14 2082 GS14 2110
GS14 2130 GS14 2150



GS14 3035 GS14 3065 GS14 3110
GS14 3150


GS14 2200 GS14 2300

GS14 2500

Model No.	Set Content	Package Size (mm)	EDP No.
GS141035	⌀1× 35 1pc.	160×35×8	485501
GS141065	⌀1× 65 2pcs.	160×35×8	485502
GS141110	⌀1×110 2pcs.	160×35×8	485503
GS142035	⌀2× 35 1pc.	160×35×8	485504
GS142045	⌀2× 45 1pc.	160×35×8	485505
GS142065	⌀2× 65 2pcs.	160×35×8	485506
GS142082	⌀2× 82 2pcs.	160×35×8	485507
GS142110	⌀2×110 2pcs.	160×35×8	485508
GS142130	⌀2×130 2pcs.	180×35×8	485509
GS142150	⌀2×150 2pcs.	180×35×8	485510
GS142200	⌀2×200 1pc.	340×35×8	485511
GS142300	⌀2×300 1pc.	340×35×8	485512
GS142500	⌀2×500 1pc.	540×35×8	485513
GS143035	⌀3× 35 1pc.	160×35×8	485514
GS143065	⌀3× 65 2pcs.	160×35×8	485515
GS143110	⌀3×110 2pcs.	160×35×8	485516
GS143150	⌀3×150 2pcs.	180×35×8	485517
GS144065	⌀4× 65 1pc.	135×35×8	485519

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GS5P Double End "GOSAI" Bit 5-pc set **NEW**



GS5P2065 GS5P2082 GS5P2110 GS5P2130 GS5P2150

Model No.	Set Content	Package Size (mm)	EDP No.
GS5P2065	⌀2× 65 5pcs.	160×70×8	485552
GS5P2082	⌀2× 82 5pcs.	160×70×8	485553
GS5P2110	⌀2×110 5pcs.	160×70×8	485554
GS5P2130	⌀2×130 5pcs.	180×70×8	485555
GS5P2150	⌀2×150 5pcs.	180×70×8	485556

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GS14 Double End Combi "GOSAI" Bit **NEW**

- 2 different sizes are combined into one bit.



Except ⌀5, ⌀6



GS14 1211 GS14 2311 GS14 5665 GS14 5611 GS14 1565 GS14 1511 GS14 2665 GS14 2611
GS14 2615


GS14 2620

Model No.	Set Content	Package Size (mm)	EDP No.
GS141211	⌀1/⌀2×110 2pcs.	160×35×8	485520
GS142311	⌀2/⌀3×110 2pcs.	160×35×8	485518
GS145665	⌀5/⌀6× 65 2pcs.	160×35×8	485550
GS145611	⌀5/⌀6×110 2pcs.	160×35×8	485551
GS141565	⌀1/⌀5× 65 2pcs.	160×35×8	485521
GS141511	⌀1/⌀5×110 2pcs.	160×35×8	485522
GS142665	⌀2/⌀6× 65 2pcs.	160×35×8	485523
GS142611	⌀2/⌀6×110 2pcs.	160×35×8	485524
GS142615	⌀2/⌀6×150 2pcs.	180×35×8	485525
GS142620	⌀2/⌀6×200 1pc.	340×35×8	485526

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GSPZ Double End POSIDRIV "GOSAI" Bit NEW

- For POSIDRIV screws.
- Special tip shape prevents cam-out.




GSPZ 1110 GSPZ 2110 GSPZ 3110

Model No.	Content	Package Size (mm)	EDP No.
GSPZ1110	PZ1×110 1pc.	160×35×8	485564
GSPZ2110	PZ2×110 1pc.	160×35×8	485565
GSPZ3110	PZ3×110 1pc.	160×35×8	485566

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GS5P Double End Square "GOSAI" Bit, 5-pc set NEW



GS5P-42 GS5P-44




Model No.	Set Content	Package Size (mm)	EDP No.
GS5P-42	SQ3× 65 5pcs.	160×70×8	485634
GS5P-44	SQ3×110 5pcs.	160×70×8	485635

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GS14SQ Double End Square "GOSAI" Bit NEW

- For square head screws, popular for sash and/or quake-proof hardware.





GS14SQ 1065 GS14SQ 2065 GS14SQ 2110 GS14SQ 2150 GS14SQ 3045 GS14SQ 3065 GS14SQ 3082 GS14SQ 3110 GS14SQ 3150 GS14SQ 3200 GS14SQ 3300

Model No.	Set Content	Package Size (mm)	EDP No.
GS14SQ1065	SQ1× 65 2pcs.	160×35×8	485623
GS14SQ2065	SQ2× 65 2pcs.	160×35×8	485624
GS14SQ2110	SQ2×110 2pcs.	160×35×8	485625
GS14SQ2150	SQ2×150 2pcs.	180×35×8	485626
GS14SQ3045	SQ3× 45 1pc.	160×35×8	485627
GS14SQ3065	SQ3× 65 2pcs.	160×35×8	485628
GS14SQ3082	SQ3× 82 2pcs.	160×35×8	485629
GS14SQ3110	SQ3×110 2pcs.	160×35×8	485630
GS14SQ3150	SQ3×150 2pcs.	180×35×8	485631
GS14SQ3200	SQ3×200 1pc.	340×35×8	485632
GS14SQ3300	SQ3×300 1pc.	340×35×8	485633

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GS16 Thin Shank "GOSAI" Bit NEW

- Thin shank model, good for use in a cramped space.



GS16 1065 GS16 1100 GS16 1150 GS16 2065 GS16 2082 GS16 2100 GS16 2130 GS16 2150 GS16 1200 GS16 2200 GS16 2300

Model No.	Set Content	Package Size (mm)	EDP No.
GS161065	⊕1 × 65 2pcs.	160×35×8	485532
GS161100	⊕1 ×100 2pcs.	160×35×8	485533
GS161150	⊕1 ×150 2pcs.	180×35×8	485534
GS161200	⊕1 ×200 1pc.	340×35×8	485535
GS162065	⊕2 × 65 2pcs.	160×35×8	485536
GS162082	⊕2 × 82 2pcs.	160×35×8	485537
GS162100	⊕2 ×100 2pcs.	160×35×8	485538
GS162130	⊕2 ×130 2pcs.	180×35×8	485539
GS162150	⊕2 ×150 2pcs.	180×35×8	485540
GS162200	⊕2 ×200 1pc.	340×35×8	485541
GS162300	⊕2 ×300 1pc.	340×35×8	485542

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. GS16 Precision Type "GOSAI" Bit NEW



Extra Super Alloy

GS16 00065 GS16 00100 GS16 00665 GS16 00882 GS16 01000

Model No.	Set Content	Package Size (mm)	EDP No.
GS1600065	Φ00× 65 2pcs.	160×35×8	485527
GS1600100	Φ00×100 2pcs.	160×35×8	485528
GS1600665	Φ0 × 65 2pcs.	160×35×8	485529
GS1600882	Φ0 × 82 2pcs.	160×35×8	485530
GS1601000	Φ0 ×100 2pcs.	160×35×8	485531

*Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. GS16PL Slotted "GOSAI" Bit NEW

●For slotted screws.



MG
Except
Φ8



GS16 PL18 GS16 PL25 GS16 PL30 GS16 PL40 GS16 PL50 GS16 PL60 GS16 PL80

Model No.	Set Content	Package Size (mm)	EDP No.
GS16PL18	Φ1.8× 65 2pcs.	135×35× 8	485543
GS16PL25	Φ2.5× 65 2pcs.	135×35× 8	485544
GS16PL30	Φ3 × 65 2pcs.	135×35× 8	485545
GS16PL40	Φ4 × 65 2pcs.	135×35× 8	485546
GS16PL50	Φ5 × 65 2pcs.	135×35× 8	485547
GS16PL60	Φ6 × 65 2pcs.	135×35× 8	485548
GS16PL80	Φ8 × 65 1pc.	135×35×15	485549

*Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. GS5P Thin Shank "GOSAI" Bit, 5-pc set NEW



MG
Extra Super Alloy

GS5P1065D GS5P2065D GS5P2082D GS5P2100D GS5P2130D GS5P2150D

Model No.	Set Content	Package Size (mm)	EDP No.
GS5P1065D	Φ1× 65 5pcs.	160×70×8	485636
GS5P2065D	Φ2× 65 5pcs.	160×70×8	485557
GS5P2082D	Φ2× 82 5pcs.	160×70×8	485637
GS5P2100D	Φ2×100 5pcs.	160×70×8	485558
GS5P2130D	Φ2×130 5pcs.	180×70×8	485559
GS5P2150D	Φ2×150 5pcs.	180×70×8	485560

*Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. GS5P Assorted "GOSAI" Bit, 5-pc set NEW



MG
Extra Super Alloy
Except GS5P-03
Except Φ3, Φ4

GS5P-01 GS5P-02 GS5P-03


Model No.	Set Content	Package Size (mm)	EDP No.
GS5P-01	Double End Φ2/Φ6× 65 1pc.	160×70×8	485563
	Double End Φ2 ×110 1pc.		
	Double End Φ3 × 65 1pc.		
GS5P-02	Thin Shank Φ1 × 65 1pc.	160×70×8	485562
	Thin Shank Φ2 ×100 1pc.		
	Double End Φ1 × 65 1pc.		
GS5P-03	Double End Φ2 × 65 1pc.	160×70×8	485561
	Double End Φ2 ×110 2pcs.		
	Double End Φ3 × 65 1pc.		
GS5P-03	Thin Shank Φ00 × 65 1pc.	160×70×8	485561
	Thin Shank Φ0 × 65 1pc.		
	Thin Shank Φ1 × 65 1pc.		
	Thin Shank Φ3 × 65 1pc.		
	Thin Shank Φ4 × 65 1pc.		

*Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. GSH HEX "GOSAI" Bit NEW

●For hexagon socket head cap bolts and screws.



MG
Extra Super Alloy
Except H8 and larger sizes



GSH 0155 GSH 0205 GSH 0255 GSH 0305 GSH 0405 GSH 0505 GSH 0605 GSH 0805 GSH 1005 GSH 1205 GSH 1405 GSH 1705

Model No.	Content	Package Size (mm)	EDP No.
GSH0155	H 1.5×65 1pc.	135×35× 8	485567
GSH0205	H 2 ×65 1pc.	135×35× 8	485568
GSH0255	H 2.5×65 1pc.	135×35× 8	485569
GSH0305	H 3 ×65 1pc.	135×35× 8	485570
GSH0405	H 4 ×65 1pc.	135×35× 8	485571
GSH0505	H 5 ×65 1pc.	135×35× 8	485572
GSH0605	H 6 ×65 1pc.	135×35× 8	485573
GSH0805	H 8 ×65 1pc.	135×35×10	485574
GSH1005	H 10 ×65 1pc.	135×35×22	485575
GSH1205	H 12 ×65 1pc.	135×35×22	485576
GSH1405	H 14 ×65 1pc.	135×35×22	485577
GSH1705	H 17 ×65 1pc.	135×35×22	485578

*Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets
(GSH1005, GSH1205, GSH1405, GSH1705 - Inner Ctn.: 5 sets)

No. GSH HEX "GOSAI" Bit, Long type **NEW**



GSH 020L GSH 025L GSH 030L GSH 040L GSH 050L GSH 060L GSH 080L

Model No.	Content	Package Size (mm)	EDP No.
GSH020L	H 2 ×150 1pc.	180×35× 8	485580
GSH025L	H 2.5×150 1pc.	180×35× 8	485581
GSH030L	H 3 ×150 1pc.	180×35× 8	485582
GSH040L	H 4 ×150 1pc.	180×35× 8	485583
GSH050L	H 5 ×150 1pc.	180×35× 8	485584
GSH060L	H 6 ×150 1pc.	180×35× 8	485585
GSH080L	H 8 ×150 1pc.	180×35×15	485586

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GSVT TORX "GOSAI" Bit **NEW**

- For TORX screws.
- TORX bits manufactured by the TORX official licensee.
- Tamper-proof type (except T4 and T5).



GSVT 04S GSVT 05S GSVT 06SH GSVT 08SH GSVT 10SH GSVT 15SH GSVT 20SH GSVT 25SH GSVT 27SH GSVT 30SH

Model No.	Content	Package Size (mm)	EDP No.
GSVT04S	T4 × 65 1pc.	135×35×8	485603
GSVT05S	T5 × 65 1pc.	135×35×8	485604
GSVT06SH	T6H × 65 1pc.	135×35×8	485605
GSVT08SH	T8H × 65 1pc.	135×35×8	485606
GSVT10SH	T10H× 65 1pc.	135×35×8	485607
GSVT15SH	T15H× 65 1pc.	135×35×8	485608
GSVT20SH	T20H× 65 1pc.	135×35×8	485609
GSVT25SH	T25H× 65 1pc.	135×35×8	485610
GSVT27SH	T27H× 65 1pc.	135×35×8	485611
GSVT30SH	T30H× 65 1pc.	135×35×8	485612
GSVT40SH	T40H× 65 1pc.	135×35×8	485613

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GS5P Assorted HEX "GOSAI" Bit, 5-pc set **NEW**



GS5P-31 GS5P-32

Model No.	Set Content	Package Size (mm)	EDP No.
GS5P-31	H 2.5× 65 1pc.	160×70×8	485579
	H 3 × 65 1pc.		
	H 4 × 65 1pc.		
	H 5 × 65 1pc.		
GS5P-32	H 6 × 65 1pc.	180×70×8	485587
	H 2.5×150 1pc.		
	H 3 ×150 1pc.		
	H 4 ×150 1pc.		
	H 5 ×150 1pc.		
	H 6 ×150 1pc.		

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

No. GSVT TORX "GOSAI" Bit. Long type **NEW**



GSVT 10LH GSVT 15LH GSVT 20LH GSVT 25LH GSVT 27LH GSVT 30LH GSVT 40LH

Model No.	Content	Package Size (mm)	EDP No.
GSVT10LH	T10H×150 1pc.	180×35×8	485615
GSVT15LH	T15H×150 1pc.	180×35×8	485616
GSVT20LH	T20H×150 1pc.	180×35×8	485617
GSVT25LH	T25H×150 1pc.	180×35×8	485618
GSVT27LH	T27H×150 1pc.	180×35×8	485619
GSVT30LH	T30H×150 1pc.	180×35×8	485620
GSVT40LH	T40H×150 1pc.	180×35×8	485621

※Colors inside the table indicate the bit color. Inner Ctn.: 10 sets

VESSEL is an official licensee of TORX, which is a registered trademark of Accument TM Intellectual Properties, LLC (USA).

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. GS5P Assorted TORX "GOSAI" Bit, 5-pc set **NEW**



GS5P-33

GS5P-34



Model No.	Set Content	Package Size (mm)	EDP No.
GS5P-33	T10H× 65 1pc.	160×70×8	485614
	T15H× 65 1pc.		
	T20H× 65 1pc.		
	T25H× 65 1pc.		
	T30H× 65 1pc.		
GS5P-34	T10H×150 1pc.	180×70×8	485622
	T15H×150 1pc.		
	T20H×150 1pc.		
	T25H×150 1pc.		
	T30H×150 1pc.		

※Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. GSBP Ball Point "GOSAI" Bit, Long type **NEW**



GSBP 030L GSBP 040L GSBP 050L GSBP 060L GSBP 080L



Extra Super Alloy
Except H8

Model No.	Content	Package Size (mm)	EDP No.
GSBP030L	H 3 ×150 1pc.	180×35× 8	485597
GSBP040L	H 4 ×150 1pc.	180×35× 8	485598
GSBP050L	H 5 ×150 1pc.	180×35× 8	485599
GSBP060L	H 6 ×150 1pc.	180×35× 8	485600
GSBP080L	H 8 ×150 1pc.	180×35×15	485601

※Colors inside the table indicate the bit color.


Inner Ctn.: 10 sets

No. GSBP Ball Point "GOSAI" Bit **NEW**

- For hexagon socket head cap bolts and screws.
- Ball point tip-end, tilting 26°, optimal for use in a cramped space.



Except H10 H8, H10
Extra Super Alloy



GSBP 020S GSBP 025S GSBP 030S GSBP 040S GSBP 050S GSBP 060S GSBP 080S GSBP 100S

Model No.	Content	Package Size (mm)	EDP No.
GSBP020S	H 2 ×100 1pc.	160×35× 8	485588
GSBP025S	H 2.5×100 1pc.	160×35× 8	485589
GSBP030S	H 3 ×100 1pc.	160×35× 8	485590
GSBP040S	H 4 ×100 1pc.	160×35× 8	485591
GSBP050S	H 5 ×100 1pc.	160×35× 8	485592
GSBP060S	H 6 ×100 1pc.	160×35× 8	485593
GSBP080S	H 8 ×100 1pc.	160×35×15	485594
GSBP100S	H 10×100 1pc.	160×35×22	485595

※Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. GS5P Assorted Ball Point "GOSAI" Bit, 5-pc set **NEW**



GS5P-35

GS5P-36



Except H8
Extra Super Alloy


Model No.	Set Content	Package Size (mm)	EDP No.
GS5P-35	H 3 ×100 1pc.	160×70×15	485596
	H 4 ×100 1pc.		
	H 5 ×100 1pc.		
	H 8 ×100 1pc.		
GS5P-36	H 3 ×150 1pc.	180×70×15	485602
	H 4 ×150 1pc.		
	H 5 ×150 1pc.		
	H 8 ×150 1pc.		

※Colors inside the table indicate the bit color.

Inner Ctn.: 10 sets

No. MX14 Double End MAGNUM bit 2-Piece Set **PAT.**

- Long life with ribbed tip and torsion.
- Plastic spring facilitates bit replacement.




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
MX142065	Φ2×Φ5×65 2pcs.	H	160×35×8	485031
MX142110	Φ2×Φ5×110 2pcs.	H	160×35×8	485033
MX142150	Φ2×Φ5×150 2pcs.	H	210×35×8	485034

Inner Ctn.: 10 sets

No. RT "SUPER TORSION BIT" 2-Piece Set **PAT.**

- Tapered tip allows for easy view of small screw head.
- Combination of strong tip-end and torsion which is suitable for heavy works.
- Ultra Hex shank avoids damage to the chuck.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
RT142065	Φ2×Φ3.7×65 2pcs.	X	160×35×8	484461
RT142082	Φ2×Φ3.7×82 2pcs.	X	160×35×8	484462
RT142110	Φ2×Φ3.7×110 2pcs.	X	160×35×8	484463
RT142150	Φ2×Φ3.7×150 2pcs.	X	210×35×8	484464

Inner Ctn.: 10 sets

No. MX5P Double End MAGNUM bit 5-Piece Set **PAT.**




MX5P2065 MX5P2110



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
MX5P2065	Φ2×Φ5×65 5pcs.	H	160×70×8	485051
MX5P2110	Φ2×Φ5×110 5pcs.	H	160×70×8	485052

Inner Ctn.: 10 sets

No. RT5P "SUPER TORSION BIT" 5-Piece Set **PAT.**



RT5P2065 RT5P2082 RT5P2110




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
RT5P2065	Φ2×Φ3.7×65 5pcs.	X	160×70×8	484471
RT5P2082	Φ2×Φ3.7×82 5pcs.	X	160×70×8	484472
RT5P2110	Φ2×Φ3.7×110 5pcs.	X	160×70×8	484473

Inner Ctn.: 10 sets

No. MX16 Recessed MAGNUM bit 2-Piece Set **PAT.**

- Long life with ribbed tip and torsion.
- Plastic spring facilitates bit replacement.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
MX162065	Φ2×Φ5×65 2pcs.	H	160×35×8	485035
MX162100	Φ2×Φ5×100 2pcs.	H	160×35×8	485037
MX162150	Φ2×Φ5×150 2pcs.	H	210×35×8	485038

Inner Ctn.: 10 sets

No. RT10P "SUPER TORSION BIT" 10-Piece Set **PAT.**



RT10P2065F RT10P2082F RT10P2110F



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
RT10P2065F	Φ2×Φ3.7×65 10pcs.	X	143×87×7	413441
RT10P2082F	Φ2×Φ3.7×82 10pcs.	X	143×87×7	413442
RT10P2110F	Φ2×Φ3.7×110 10pcs.	X	162×87×7	413443

Inner Ctn.: 10 sets

No. MX5P Recessed MAGNUM bit 5-Piece Set **PAT.**



MX5P2065D MX5P2100D



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
MX5P2065D	Φ2×Φ5×65 5pcs.	H	160×70×8	485053
MX5P2100D	Φ2×Φ5×100 5pcs.	H	160×70×8	485054

Inner Ctn.: 10 sets

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS


AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. MT MEGA TORSION BIT 2-Piece Set PAT.

- Jaws fit tip fits screw head hole.
- Torsion design suitable for heavy works.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
MT142065	Φ2×φ3.7× 65 2pcs.	X	160×35×8	484435
MT142110	Φ2×φ3.7×110 2pcs.	X	160×35×8	484437

No. MT5P MEGA TORSION BIT 5-Piece Set PAT.

Inner Ctn.: 10 sets




MT5P2065 MT5P2110

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
MT5P2065	Φ2×φ3.7× 65 5pcs.	X	160×70×8	484440
MT5P2110	Φ2×φ3.7×110 5pcs.	X	160×70×8	484442

Inner Ctn.: 10 sets

No. AT TORSION BIT 2-Piece Set

- Absorbs efficiently the impact caused when screws are fully seated.
- Torsion design suitable for tightening wood screws.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AT142065	Φ2×φ3.5× 65 2pcs.	H	160×35×8	486113
AT142110	Φ2×φ3.5×110 2pcs.	H	160×35×8	486114

Inner Ctn.: 10 sets

No. BW TORSION BIT 5-Piece Set




BW-163 BW-165

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
BW-163	Φ2×φ3.5× 65 5pcs.	H	140×70×23	486306
BW-165	Φ2×φ3.5× 65 3pcs. Φ2×φ3.5×110 2pcs.	H	140×70×23	486308

Provided with one bit holder. Outer Ctn.: 10 sets

No. ST SLENDER TORSION BIT 2-Piece Set PAT.

- Absorbs efficiently the impact caused when screws are fully seated.
- Tapered finished tip fits to slim screws.
- Torsion design suitable for tightening wood screws.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
ST141065	Φ1×φ3.5× 65 2pcs.	H	160×35×8	484400
ST142065	Φ2×φ3.5× 65 2pcs.	H	160×35×8	484401
ST142082	Φ2×φ3.5× 82 2pcs.	H	160×35×8	484403
ST142110	Φ2×φ3.5×110 2pcs.	H	160×35×8	484402

Inner Ctn.: 10 sets

No. BW SLENDER TORSION BIT 5-Piece Set PAT.




BW-301 BW-302 BW-303 BW-305

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
BW-301	Φ2×φ3.5× 65 5pcs.	H	140×70×23	486691
BW-302	Φ2×φ3.5×110 5pcs.	H	140×70×23	486692
BW-303	Φ2×φ3.5× 65 3pcs. Φ2×φ3.5×110 2pcs.	H	140×70×23	486693
BW-305	Φ2×φ3.5× 82 5pcs.	H	140×70×23	486694

Provided with one bit holder. Outer Ctn.: 10 sets

No. AC CUSHION BIT 2-Piece Set PAT.

- Cushion ring is attached to reduce vibration.
- UltraHex shank avoids damage to the chuck.




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AC141065	Φ1× 65 2pcs.	H	160×35×8	484376
AC142065	Φ2× 65 2pcs.	H	160×35×8	484378
AC142110	Φ2×110 2pcs.	H	160×35×8	484379
AC142150	Φ2×150 2pcs.	H	210×35×8	484380
AC142200	Φ2×200 2pcs.	H	260×35×8	484381
AC161065	Φ1×φ4 × 65 2pcs.	H	160×35×8	484386
AC161100	Φ1×φ5 ×100 2pcs.	H	160×35×8	484387
AC162065	Φ2×φ4.5× 65 2pcs.	H	160×35×8	484388
AC162100	Φ2×φ4.5×100 2pcs.	H	160×35×8	484389

※ Colors inside the table cells indicate the ring color.

Inner Ctn.: 10 sets

No. AS SLENDER BIT 2-Piece Set

- Tapered finished tip fits to slim screws.
- For soft joint such as wood screws and resin tapping screws.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AS141065	Φ1× 65 2pcs.	H	160×35×8	486187
AS142045	Φ2× 45 2pcs.	H	160×35×8	486186
AS142065	Φ2× 65 2pcs.	H	160×35×8	486184
AS142110	Φ2×110 2pcs.	H	160×35×8	486185

Inner Ctn.: 10 sets

No. BW SLENDER BIT 5-Piece Set



BW-180 BW-181 BW-182



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
BW-180	Φ2× 65 5pcs.	H	140×70×23	486650
BW-181	Φ2×110 5pcs.	H	140×70×23	486651
BW-182	Φ2× 65 3pcs. Φ2×110 2pcs.	H	140×70×23	486652

Provided with one bit holder. Outer Ctn.: 10 sets

No. AS5P SLENDER BIT 5-Piece Set



AS5P1065F AS5P2065F AS5P2110F



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AS5P1065F	Φ1× 65 5pcs.	H	135×50×7	485441
AS5P2065F	Φ2× 65 5pcs.	H	135×50×7	485442
AS5P2110F	Φ2×110 5pcs.	H	160×50×7	485443

Inner Ctn.: 10 sets

No. AS20P SLENDER BIT 20-Piece Set



AS20P2065F AS20P2110F






Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AS20P2065F	Φ2× 65 20pcs.	H	143×87×14	484481
AS20P2110F	Φ2×110 20pcs.	H	162×87×14	484482

Inner Ctn.: 5 sets

One point

Bit Selection

- Different tip-end for various application.



- Selection according to torsion effect

AL	AT/ST	RT/MT
<p>Ball groove</p> <p>Ball groove</p> <p>Impact is absorbed with the torsion effect at the tempered groove part.</p>	<p>φ3.5</p> <p>20mm</p> <p>Impact is absorbed by the torsion part (φ3.5×20mm).</p>	<p>φ3.7</p> <p>14mm</p> <p>Impact is absorbed by the torsion part (φ3.7×14mm).</p>
HARD JOINT	SOFT JOINT	HARD JOINT
SOFT JOINT	HARD JOINT	SOFT JOINT
	When an instantaneous impact is given when the head of drill screw or tapping screw is fully seated	
	SOFT JOINT	
	When the load is gradually increased such as in fastening wood screws	

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS


STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. JA JAWS BIT 2-Piece Set

PAT.

- Jaws Fit tip fits screw head hole.
- Reliable work possible as this tip prevents screws from falling over.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
JA142035	⌀2× 35 2pcs.	H	160×35×8	484450
JA142065	⌀2× 65 2pcs.	H	160×35×8	484451
JA142082	⌀2× 82 2pcs.	H	160×35×8	484452
JA142110	⌀2×110 2pcs.	H	160×35×8	484453

Inner Ctn.: 10 sets

No. JA5P JAWS BIT 5-Piece Set

PAT.




JA5P2065 JA5P2082 JA5P2110

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
JA5P2065	⌀2× 65 5pcs.	H	160×70×8	484456
JA5P2082	⌀2× 82 5pcs.	H	160×70×8	484457
JA5P2110	⌀2×110 5pcs.	H	160×70×8	484458

Inner Ctn.: 10 sets

No. AX EXTRA HARD BIT 2-Piece Set

- The highest hardness of 62HRC, suited for stainless screws and plaster board screws.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AX142045	⌀2× 45 2pcs.	X	160×35×8	486192
AX142065	⌀2× 65 2pcs.	X	160×35×8	486193
AX142110	⌀2×110 2pcs.	X	160×35×8	486194
AX162065	⌀2×⌀4.5× 65 2pcs.	X	160×35×8	486195
AX162100	⌀2×⌀4.5×100 2pcs.	X	160×35×8	486196

Inner Ctn.: 10 sets

No. BW EXTRA HARD BIT 5-Piece Set




BW-36 BW-37 BW-38 BW-39

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
BW-36	⌀2× 65 5pcs.	X	140×70×23	486596
BW-37	⌀2×110 5pcs.	X	140×70×23	486597
BW-38	⌀2×⌀4.5× 65 5pcs.	X	140×70×23	486598
BW-39	⌀2×⌀4.5×100 5pcs.	X	140×70×23	486599

Provided with one bit holder. Outer Ctn.: 10 sets

No. AZ GIZA BIT 2-Piece Set

- Jagged parts prevents cam-out.
- Suited for fastening screws in a poor footing unstable place.




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
AZ142065	⌀2× 65 2pcs.	H	160×35×8	486177
AZ142110	⌀2×110 2pcs.	H	160×35×8	486178
AZ142150	⌀2×150 2pcs.	H	210×35×8	486179
AZ142200	⌀2×200 2pcs.	H	260×35×8	486180
AZ162065	⌀2×⌀4.5× 65 2pcs.	H	160×35×8	486181
AZ162100	⌀2×⌀4.5×100 2pcs.	H	160×35×8	486182
AZ162150	⌀2×⌀4.5×⌀6.3×150 2pcs.	H	210×35×8	486183

Inner Ctn.: 10 sets

No. A14H TAPPING BIT 2-Piece Set

- Increased thickness of the cross blade recommended to heavy works.
- Suited for screws for sash frames with a thread size of about 4mm.




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
A14H2065	⌀2× 65 2pcs.	H	160×35×8	486190
A14H2110	⌀2×110 2pcs.	H	160×35×8	486191

Inner Ctn.: 10 sets

No. IR14 IRO BIT (Color-coded Bit) 2-Piece Set

- Bits colored according to size.
- Excellent rust proof performance.




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
IR142065	⌀2×65 2pcs.	H	160×35×8	485104
IR142082	⌀2×82 2pcs.	H	160×35×8	485107
IR142110	⌀2×110 2pcs.	H	160×35×8	485105
IR143045	⌀3×45 2pcs.	H	160×35×8	485110
IR143065	⌀3×65 2pcs.	H	160×35×8	485111
IR143110	⌀3×110 2pcs.	H	160×35×8	485112
IR143150	⌀3×150 2pcs.	H	210×35×8	485113
IR141565	⌀1/⌀5×65 2pcs.	H	160×35×8	485120
IR142611	⌀2/⌀6×110 2pcs.	H	160×35×8	485122
IR142615	⌀2/⌀6×150 2pcs.	H	210×35×8	485123

*Colors inside the table cells indicate the bit color. Inner Ctn.: 10 sets

No. IR16 Recessed IRO Bit (Color-coded Bit) 2-Pieces Set

- Bits colored according to size.
- Excellent rust proof performance.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
IR161065	⌀1×⌀4 × 65 2pcs.	H	160×35×8	485132
IR162065	⌀2×⌀4.5×65 2pcs.	H	160×35×8	485134
IR162100	⌀2×⌀4.5×100 2pcs.	H	160×35×8	485136
IR166070	⌀6×⌀6 × 70 2pcs.	H	160×35×8	485131

*Colors inside the table cells indicate the bit color. Inner Ctn.: 10 sets

No. IR5P Recessed IRO Bit (Color-coded Bit) 5-Pieces Set



IR5P2100DF

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
IR5P2100DF	⌀2×⌀4.5×100 5pcs.	H	160×50×7	485171

*Colors inside the table cells indicate the bit color. Inner Ctn.: 10 sets

No. IR5P IRO BIT (Color-coded Bit) 5-Piece Set



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
IR5P2065F	⌀2×65 5pcs.	H	135×50×7	485167
IR5P2110F	⌀2×110 5pcs.	H	160×50×7	485168
IR5P3065F	⌀3×65 5pcs.	H	135×50×7	485169

*Colors inside the table cells indicate the bit color. Inner Ctn.: 10 sets

No. IR5P IRO BIT (Color-coded Bit) 5-Piece Set

- Bits colored according to size.
- Excellent rust proof performance.




IR5P01 IR5P02

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
IR5P01	⌀1×⌀4.0×65, ⌀2×⌀4.5×100, ⌀2/⌀6×65, ⌀2×110, ⌀3×65	H	160×70×8	485165
IR5P02	⌀1×65, ⌀2×65 ⌀3×65, ⌀2×110(2pcs.)	H	160×70×8	485166

Inner Ctn.: 10 sets

No. A14SQ SQUARE DOUBLE END BIT 2-Piece Set

● Bit for square screws mostly used for sash frames and quake resistant hardware.




Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
A14SQ1065	SQ 1× 65 2pcs.	H	160×35×8	486219
A14SQ2065	SQ 2× 65 2pcs.	H	160×35×8	486208
A14SQ2110	SQ 2×110 2pcs.	H	160×35×8	486210
A14SQ2150	SQ 2×150 2pcs.	H	210×35×8	486220
A14SQ3065	SQ 3× 65 2pcs.	H	160×35×8	486209
A14SQ3110	SQ 3×110 2pcs.	H	160×35×8	486211
A14SQ3150	SQ 3×150 2pcs.	H	210×35×8	486221

Inner Ctn.: 10 sets

No. A14RSQ SQUARE DOUBLE END BIT 2-Piece Set


● Bit for square screws mostly used for sash frames and quake resistant hardware.



Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
A14RSQ1065	SQ 1× 65 2pcs.	H	160×35×8	486222
A14RSQ2110	SQ 2×110 2pcs.	H	160×35×8	486224
A14RSQ2150	SQ 2×150 2pcs.	H	210×35×8	486225
A14RSQ3065	SQ 3× 65 2pcs.	H	160×35×8	486226
A14RSQ3110	SQ 3×110 2pcs.	H	160×35×8	486227

Inner Ctn.: 10 sets

No. BW SQUARE DOUBLE END BIT 5-Piece Set




BW-401 **BW-403** **BW-407**

Model No.	Contents	Heat treatment classification	Card size (mm)	EDP No.
BW-401	SQ 2× 65 5pcs.	H	140×70×23	486850
BW-403	SQ 2×110 5pcs.	H	140×70×23	486852
BW-407	SQ 2× 65 1pc.	H	140×70×23	486856
	SQ 3× 65 2pcs.	H		
	SQ 2×110 1pc.	H		
	SQ 3×110 1pc.	H		

Provided with one bit holder. Outer Ctn.: 10 sets

No. M16SQ Square bit 2-Piece Set

● Bit for square screws mostly used for sash frames and quake resistant hardware.




Model No.	Contents	Card size (mm)	EDP No.
M16SQ1065	SQ 1× 65 2pcs.	160×35×8	486155
M16SQ2065	SQ 2× 65 2pcs.	160×35×8	486156

Inner Ctn.: 10 sets

No. SM16H Hex Bit

- For hexagon socket head bolts or set screws commonly used for machines and facilities, cars and motorcycles.




Model No.	Contents	Card size (mm)	EDP No.
SM16H020	H 2 × 65 1pc.	135×35×8	486671
SM16H025	H 2.5 × 65 1pc.	135×35×8	486672
SM16H030	H 3 × 65 1pc.	135×35×8	486673
SM16H040	H 4 × 65 1pc.	135×35×8	486674
SM16H050	H 5 × 65 1pc.	135×35×8	486675
SM16H060	H 6 × 65 1pc.	135×35×8	486676
SM16H080	H 8 × 65 1pc.	135×35×8	486677

Inner Ctn.: 10 sets

No. SM16BP Ball Point Bit

- For bolts with holes or set screws commonly used for machines and facilities, cars and motorcycles.



Model No.	Contents	Card size (mm)	EDP No.
SM16BP40	H 4 × 82 1pc.	160×35×8	486696
SM16BP50	H 5 × 82 1pc.	160×35×8	486697
SM16BP60	H 6 × 82 1pc.	160×35×8	486698

Inner Ctn.: 10 sets

No. BW Hex Bit 5-Piece Set



BW-31




Model No.	Contents	Card size (mm)	EDP No.
BW-31	H2.5, 3, 4, 5, 6×65 1 for each	140×70×23	486591

Provided with one bit holder. Outer Ctn.: 10 sets

No. D83 Bit 2-Piece Set

- Stepped shape useful for fastening screws in narrow spaces.




Model No.	Contents	Card size (mm)	EDP No.
D830082	⌀0×⌀2 × ⌀4.5 × 82 2pcs.	160×35×8	486287
D831075	⌀1×⌀4 × 75 2pcs.	160×35×8	486283

Inner Ctn.: 10 sets

No. SMVT TORX Bit (Tamper-Proof)

- For TORX screws used in the automobile industry.
- With a round hole for tamper-proof.




Model No.	Contents	Card size (mm)	EDP No.
SMVT08H	T 8H× 65 1pc.	135×35×8	486681
SMVT10H	T10H× 65 1pc.	135×35×8	486682
SMVT15H	T15H× 65 1pc.	135×35×8	486683
SMVT20H	T20H× 65 1pc.	135×35×8	486684
SMVT25H	T25H× 65 1pc.	135×35×8	486685
SMVT27H	T27H× 65 1pc.	135×35×8	486686
SMVT30H	T30H× 65 1pc.	135×35×8	486687
SMVT40H	T40H× 65 1pc.	135×35×8	486688

Inner Ctn.: 10 sets

No. M16 Bit for small precision screws 2-Piece Set

- Stepped shape useful for fastening screws in narrow spaces.



Model No.	Contents	Card size (mm)	EDP No.
M160082	⌀0×⌀2×⌀4.5× 82 2pcs.	160×35×8	486158

Inner Ctn.: 10 sets

TORX is a registered trademark of Acument TM Intellectual Properties, LLC (USA).
VESSEL has a manufacturing license in Japan and selling same to the world.

HAND TOOLS

BITS & SOCKETS


ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. GSB Gold Color Nut Setter (Locked with ball)



Model No.	Contents	Card size (mm)	EDP No.
GSB8055	A/F 5/16"×55 (for 5mm)	1pc.	135×35 486511
GSB9655	A/F 3/8"×55 (for 6mm)	1pc.	135×35 486512

Inner Ctn.: 5 sets


No. BW-70 Socket Bit Belt



Model No.	Contents	Card size (mm)	EDP No.
BW-70	A/F 8×60 A/F 10×60 A/F 12×60 A/F 13×60 A/F 14×60 1 for each	140×80×23	486705

Provided with one bit holder. Outer Ctn.: 5 sets

No. GSAM Gold Color Nut Setter (Magnetic)



Model No.	Contents	Card size (mm)	EDP No.
GSAM8055	A/F 5/16"×55 (for 5mm)	1pc.	135×35 486501
GSAM9655	A/F 3/8"×55 (for 6mm)	1pc.	135×35 486502

Inner Ctn.: 5 sets

No. SB Nut Setter (For power tools)



Model No.	Contents	Card size (mm)	EDP No.
SB A/F 5/16"×55	A/F 5/16"×55 (for 5mm)	5pcs.	127×87×15 482531
SB A/F 3/8"×55	A/F 3/8"×55 (for 6mm)	5pcs.	127×87×15 482532

Outer Ctn.: 10 sets

No. GMA Gold Bits (in zip pack)

- Packed in a bag with a zipper for easy storage.
- Gold finish that stands out in the site.



Model No.	Contents	Heat treatment classification	Package size (mm)	EDP No.
GMA14 Φ2× 45H	GMA14 Φ2× 45 10pcs.	H	145×80×7	410150
GMA14 Φ2× 65H	GMA14 Φ2× 65 10pcs.	H	145×80×7	410153
GMA14 Φ2×110H	GMA14 Φ2×110 10pcs.	H	190×80×7	410156
GMA16 Φ1×φ3 × 65H	GMA16 Φ1×φ3 × 65 10pcs.	H	145×80×7	418303
GMA16 Φ1×φ3 ×100H	GMA16 Φ1×φ3 ×100 10pcs.	H	190×80×7	418306
GMA16 Φ2×φ4.5× 65H	GMA16 Φ2×φ4.5× 65 10pcs.	H	145×80×7	418313
GMA16 Φ2×φ4.5×100H	GMA16 Φ2×φ4.5×100 10pcs.	H	190×80×7	418316

Inner Ctn.: 10 sets

No. D80 Cordless Screwdriver Bit



Model No.	Contents	Card size (mm)	EDP No.
D80	Φ1, Φ2, Φ6.3×50 1 for each	125×55×8	482301

Inner Ctn.: 1 set, Outer Ctn.: 50 sets

HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS

No. BB Bit Belt Holder



Model No.	Contents	Package size (mm)	EDP No.
BB-5	Bit Belt Holder for 5pcs.	158×78×28	486579
BB-10	Bit Belt Holder for 10pcs.	118×98×38	486580

Outer Ctn.: 10 sets

No. VBA Double End Power Bit (w/Bit Belt)

- Holder included for hanging from the waist belt.
- Anti-rust surface treatment.
- Popular 2 sizes available.




Model No.	Contents	Card size (mm)	EDP No.
VBA20651	Non-electrolytic plated bit $\Phi 2 \times 65$ mm 10pcs.	50×100	484056
VBA21101	Non-electrolytic plated bit $\Phi 2 \times 110$ mm 10pcs.	85×120	484057

with one piece of holder case Inner Ctn.: 10 sets

No. BMG43 Bit Mag Bottle 20-pc Set Double End Bits (B-type)

PAT.

- Basic bits which are long popular in assembly factories.
- Optimal for hard joint parts such as tapping and machine screws.
- Integrated magnetizer in the cap to magnetize/demagnetize bits.
- Provided with a ring to hang onto hooks.




Model No.	Contents	Heat treatment classification	Bottle size (mm)	EDP No.
BMG43 $\Phi 2 \times 100$ H	$\Phi 2 \times 100$ 20pcs.	H	53×100×153	415282

Inner Ctn.: 5 sets

No. SMG14 Bit Mag Bottle 20-pc Set SAKISUBO Double End Bits

PAT.

- Tip is easy to see, and the torsion effect of the constricted part produces great durability.
- Used for soft joints such as wood screw work.
- Integrated magnetizer in the cap to magnetize/demagnetize bits.
- Provided with a ring to hang onto hooks.




Model No.	Contents	Heat treatment classification	Bottle size (mm)	EDP No.
SMG14 $\Phi 2 \times 65$ H	$\Phi 2 \times 65$ 20pcs.	H	53×100×111	415283
SMG14 $\Phi 2 \times 110$ H	$\Phi 2 \times 110$ 20pcs.	H	53×100×153	415284

Inner Ctn.: 5 sets

No. AMG14 Bit Mag Bottle 20-pc Set Double End Bits (A-type)

PAT.

- Basic bits which are long popular in assembly factories.
- Optimal for hard joint parts such as tapping and machine screws.
- Integrated magnetizer in the cap to magnetize/demagnetize bits.
- Provided with a ring to hang onto hooks.




Model No.	Contents	Heat treatment classification	Bottle size (mm)	EDP No.
AMG14 $\Phi 2 \times 65$ H	$\Phi 2 \times 65$ 20pcs.	H	53×100×111	415285
AMG14 $\Phi 2 \times 110$ H	$\Phi 2 \times 110$ 20pcs.	H	53×100×153	415286

Inner Ctn.: 5 sets


One point

Magnetize/demagnetize with freedom



No. QB-10 Quick Catcher

- Bit can be replaced with just one hand.
- Smooth surface finish and pull-up type sleeve prevent tools from dropping.
- Strong ball chuck enables to mount a tool up to 500g.
- Flat ring with large diameter is easy to mount on carabiners, etc.



Model No.	Contents	Card size (mm)	EDP No.
QB-10R	Quick Catcher (Red) 1pc.	135×50×22	486921
QB-10B	Quick Catcher (Blue) 1pc.	135×50×22	486922
QB-10Y	Quick Catcher (Yellow) 1pc.	135×50×22	486923

Inner Ctn.: 10 sets Outer Ctn.: 10 sets

No. QB-K3C Quick Catcher 3-Piece Set

- Bit can be replaced with just one hand.
- Smooth surface finish and pull-up type sleeve prevent tools from dropping.
- Strong ball chuck enables to mount a tool up to 500g.
- Provided with a carabiner to hang onto your belt, etc.



Model No.	Contents	Card size (mm)	EDP No.
QB-K3C	Quick catcher (Red-Blue-Yellow), Carabiner (Black) 1 for each	135×50×50	486924

Inner Ctn.: 10 sets Outer Ctn.: 100 sets

No. QB-KBAD Quick Catcher with Key Adapter

- Bit can be replaced with just one hand.
- Smooth surface finish and pull-up type sleeve prevent tools from dropping.
- Strong ball chuck enables to mount a tool up to 500g.
- Provided with a carabiner to hang onto your belt, etc.




Model No.	Contents	Card size (mm)	EDP No.
QB-KBAD	Quick catcher (Black), Key adapter, Carabiner (Black) 1 for each	135×50×31	486925

Inner Ctn.: 10 sets Outer Ctn.: 100 sets

No. QB-AD Key Adapter

- Key adapter for Quick Catcher QB series.
- A flat blade for prizing, which can also be used to open paint can lids.
- Flat ring with large diameter is easy to mount on carabiners, etc.



Model No.	Contents	Card size (mm)	EDP No.
QB-AD	Key adapter 1pc.	135×50×9	486926

Inner Ctn.: 10 sets Outer Ctn.: 100 sets

One point

Insert/withdraw with just one hand

Pinch sleeve up to withdraw.

Insert, and automatically locks



HAND TOOLS

BITS & SOCKETS

ELECTRIC TOOLS

AIR TOOLS

STATIC SOLUTIONS

GASOLINE ENGINE TOOLS